



**FORGIS**

ul. Towarowa 26 38-200 Jasło  
NIP 685-107-63-25 Regon: 370304970

tel./ fax +48 13 445 11 71  
www.forgis.pl e-mail: [forgis@forgis.pl](mailto:forgis@forgis.pl)

STAINLESS STEEL

# STAINLESS STEEL




FORGIS tel. +48 666 301 009 fax +48 13 445 11 71 www.forgis.pl e-mail: [handlowy@forgis.pl](mailto:handlowy@forgis.pl)

## SHEETS

TYPE	SURFACE (DIN/ASTM)	THICKNESS [mm]/ dimension*	GRADE
<b>SHEETS</b> - cold rolled	IIIc / 2B „milky pattern”	0,3 - 6,0	1.4016, 1.4301, 1.4306/07, 1.4541, 1.4571, 1.4404, J4
	IIIId / BA mirror	0,3 - 2,5	1.4016, 1.4301, 1.4404
	IV / 4N wet grinded	0,6 - 6,0 (dry grinded to 30,0)	1.4301, 1.4016, J4,
- hot rolled	IIa / 1 mat, rugged	2,0 - 150,0	1.4301, 1.4306/07, 1.4541, 1.4571, 1.4404, 1.4539
- corrugated	mat, rugged, tearshape	3,0 - 10,0	1.4301, 1.4571
- perforated and decorative	leather, linen, cloth, hexagon, 5WL, squares and other	3,0 - 10,0	1.4301, 1.4571
- heatproof	IIa / 1 mat, rugged	2,0 - 150,0	H13JS, H25T, 1.4841, 1.4828, 1.4845

\*Sheet dimension: 1000x2000, 1250x2500, 1500x3000, 2000x4000, 2000x6000



## TUBES

TYPE	NORM	GRADE
<b>TUBES</b> - installation - construction - beverage, dairy industry - seamless	DIN 17457 DIN 17455 DIN 11850 DIN 17458	1.4301, J4, 1.4306, 1.4541, 1.4571, 1.4404




## BARS, ANGLES, PROFILES

TYPE	DIEMSNION [mm]	GRADE
<b>FLAT BARS</b> - cutted from coil - cold drawn	thickness 3 - 15 width 10 - 200	1.4301, 1.4021, 1.4034, 1.4057, 1.4305, 1.4541, 1.4571, 1.4404
	thickness 3,0- 30 width 10,0 - 120	
	thickness 3,0 - 50 width 10 - 200	
<b>ROUND BARS</b> - cold drawn - rolled, peeled	∅ from 3 to 25 ; length around 3-4 m.	1.4301, 1.4021, 1.4034, 1.4057, 1.4305, 1.4541, 1.4571, 1.4404
	∅ from 25 to 200 ; length around 3-6 m	
<b>SQUARE BARS</b> - cold drawn and hot rolled	od 6,0 x 6,0 do 100,0 x 100,0 mm	1.4301, 1.4541, 1.4571, 1.4404
<b>HEXAGON BARS</b> - cold drawn and hot rolled	from W -5 to W -75 mm	1.4301, 1.4541, 1.4571, 1.4404



## PROFILES

<b>WELDED PROFILES</b> - square - rectangular	from 10x10x1,0 to 300x300x5,0 mm from 20x10x1,5 to 300x100x5,0 mm	1.4301, J4, 1.4571, 1.4003
<b>ANGLES</b> - isoscales - not isoscales	from 20 x 20 x 3,0 to 100 x 100 x 10 mm. from 20 x 10 x 3,0 to 200 x 100 x 3 mm	1.4301, 1.4306, 1.4541, 1.4571, 1.4404.
<b>T-SHAPE BARS</b>	from 20 x 20 x 3,0 to 140 x 140 x 15 mm	
<b>U-PROFILES</b>	from U 20 to U 300	



## ELBOW FITTINGS

FITTINGS	NORM	GRADE
- elbow - T-connector - collar - reduction	DIN 2605 DIN 2615 DIN 2576 DIN 2616	1.4301, 1.4306, 1.4541, 1.4571, 1.4404



## CHEMICALS FOR STAINLESS STEEL

We offer huge variety of chemicals for stainless steel:

- strong etching
- fast passivation
- detergents
- polishing paste
- chemical anchor





## FORGIS

ul. Towarowa 26 38-200 Jasło  
NIP 685-107-63-25 Regon: 370304970

tel./ fax+48 13 445 11 71  
www.forgis.pl e-mail: [forgis@forgis.pl](mailto:forgis@forgis.pl)

# METALWORKING

## LASER AND WATERJET CUTTING

### LASER CUTTING dim. max2000x6000 and thickness:

- aluminum to 15mm
- high-alloyed and acidproof steel to 30 mm
- construction steel to 30 mm

### WATERJET CUTTING dim. max2000x4000

- construction steel, high-alloyed and acidproof steel, aluminum,
- ceramics, plastic, stone, wood, rubber to 190mm



FIBER LASER

## GRINDING AND POLISHING

Sheet grinding

Tubes, Profiles, angels, flat bars grinding

Sheet foilation



## METAL SHAPING, MILLING, FOLDING AND EDGING

Metal shaping, milling and grinding metal details

Guillotine cutting max thickness 15 mm and width 4000 mm

Folding max thickness 12 mm and width 4000 mm

# CONTACT

## SALES DEPARTMENT

**FORGIS** Piotr Czyżowicz  
ul. Towarowa 26, 38-200 Jasło  
tel/fax: +48 13 445 11 71  
e-mail: [forgis@forgis.pl](mailto:forgis@forgis.pl)

### Stainless steel, fittings:

**Robert**  
tel: +48 666 301 009 , e-mail: [handlowy@forgis.pl](mailto:handlowy@forgis.pl)  
**Darya**  
tel: +48 660 682 630 , e-mail: [biuro@forgis.pl](mailto:biuro@forgis.pl)  
**Monika**  
tel: +48 505 380 189 , e-mail: [office@forgis.pl](mailto:office@forgis.pl)

### Metalworking:

**Janusz**  
tel: +48 788 512 200 , e-mail: [marketing@forgis.pl](mailto:marketing@forgis.pl)



FORGIS tel. +48 666 301 009 fax+48 13 445 11 71 www.forgis.pl e-mail: [handlowy@forgis.pl](mailto:handlowy@forgis.pl)